

# SPEEDCITY™

Disc fixing: "International Standard"

**Warning: new hub**






**USE:** Use only on the road, on a MTB, city or road bike (135 mm rear axle width) fitted with disc brakes or rim brakes. Any other use (such as on a tandem, Cyclo-Cross bike, mountain bike...) is strongly inadvisable, is the sole responsibility of the user and voids the Mavic warranty.

**WHEEL WEIGHTS WITHOUT QUICK RELEASE SKEWER:**

Front: 865 g  
Rear: 1095 g

**REFERENCES:**

Front: 323 688 10  
Rear: 323 689 13  
Pair: 323 763 14

<b>RIMS</b>		<b>SALES REFERENCES:</b> Front and rear: M40706 (supplied with eyelets to be screwed)	
<b>WIDTH</b>		<b>VALVE HOLE Ø</b> Ø: 6,5 mm Length: ≥ 32 mm 	<b>RECOMMENDED TIRE WIDTH AND PRESSURE</b> Dimensions: Ø 700 only ETRTO 622 x 13 compatible Recommended tire width: 19 to 32 (35 with disc brakes)  Recommended tire pressure: See page 16
<b>HUBS</b>		<b>MAINTENANCE:</b> Clean with dry cloth or soap and water. Do not use pressurized water. <b>Warning: The parts of the FTS-L free wheels (pawl assembly, springs, free wheel body) are not compatible with those on the FTS free wheels.</b>	
			
			
<b>WHEEL BUILDING</b>		<b>REFERENCES AND LENGTHS:</b> Front and rear: 323 453 01, length 300 (per 14 with nipples).	
<b>FEATURES:</b> Black, round, stainless steel, straight pull spokes with ABS nipples (self-locking).		<b>LACING PATTERN:</b> Front and rear: crossed 2 on both sides	<b>TENSION:</b> Front: 105 to 145 kg Rear free wheel side: 105 to 145 kg
<b>ACCESSORIES</b>		<b>WHEEL DELIVERED WITH:</b>	<b>MAINTENANCE</b>
<ul style="list-style-type: none"> <li>• Front quick release skewer M40350</li> <li>• Rear quick release skewer M40352</li> <li>• User guide and warranty card</li> </ul>			<p><b>Hubs:</b> For all maintenance procedures (replacement of an axle, bearings, free wheel body), refer to the 2004 technical manual (section concerning the Crossland).</p> <p><b>Lacing:</b> For all procedures (replacement of a spoke or rim), refer to the 2003 technical manual.</p> <p>You can also consult our website <a href="http://www.tech-mavic.com">www.tech-mavic.com</a>.</p>